Corporate Headquarters 6571 Wilson Mills Road Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 55 pages.

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (9 pages)
- Pace Analytical Services, Inc.- Minneapolis, MN (6 pages)
- Pace Analytical Services, Inc.- Greensburg, PA (17 pages)
- EMSL Analytical, Inc. (1 page)
- Eurofins Eaton Analytical, Inc. (8 pages)
- con-test East Longmeadow, MA (Pace Analytical) (13 pages)

NELAP accredited #E87753



556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### ANALYTICAL REPORTS

**SAMPLE CODE: 468725** 10/24/2024

Tulpehocken Spring Water **Customer:** 

**Greg Miles** 

Laboratory ID: 68-00362

750 Point Township Drive Northumberland, PA 17857 Source: Indian Trail Mtn. Spring Wtr.

Source Type: Other

**Brand Name: Distilled Water** Production Code: 9/11/26 4496031-105

Container Size: 5 Gallon 4496031 PWS ID#: PA PWS ID#: 4496031 PA Location: 105

9/12/2024 08:29 Date/Time Received:

Collected by: G. Miles

> The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

This contaminant was not detected at or above our lower reporting limit (LRL) "ND"

"NA"

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA "Standard"

Secondary Standards.

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant. "LRL"

This column indicates the contaminant dilution factor. "DF"

#### Report Notes:

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate. In addition, Chlorine, Chloramine and Chlorine Dioxide hold time is immediate, therefore results should be considered an estimate.

#### Distilled Water

Fed ld #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		ate repped	Date/Time Analyzed
				Inorga	nic Analy	tes - Metals					
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	9/23/2024	12:47		9/27/2024
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	9/23/2024	12:47		10/15/2024
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	9/23/2024	12:47		10/15/2024
1010	Barium	200.7	2	mg/L	0.10	ND	1	9/23/2024	12:47		9/27/2024
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	9/23/2024	12:47		9/27/2024
1079	Boron	200.7	-	mg/L	0.10	ND	1	9/23/2024	12:47		9/27/2024
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	9/23/2024	12:47		9/27/2024
1016	Calcium	200.7		mg/L	2.0	ND	1	9/23/2024	12:47		9/27/2024
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	9/23/2024	12:47		9/27/2024
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	9/23/2024	12:47		9/27/2024
1028	Iron	200.7	0.3	mg/L	0.020	ND	1	9/23/2024	12:47		9/27/2024
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	9/23/2024	12:47		10/15/2024
1031	Magnesium	200.7		mg/L	0.10	ND	1	9/23/2024	12:47		9/27/2024
1032	Manganese	200.7	0.05	mg/L	0.004	ND	1	9/23/2024	12:47		9/27/2024
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	9/23/2024	12:47		10/15/2024
1036	Nickel	200.7		mg/L	0.005	ND	1	9/23/2024	12:47	11 7 11	9/27/2024
1042	Potassium	200.7		mg/L	1.0	ND	1	9/23/2024	12:47		9/27/2024
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	9/23/2024	12:47		10/15/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Date Printed: 10/24/2024 9:24:31 AM 50 DDBP Page 1 of 6 468725

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

# **ANALYTICAL REPORTS**

# SAMPLE CODE: 468725 10/24/2024

					10/24/20	J <b>2</b> 4							
ed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
1049	Silica	200.7	-	mg/L	0.05	0.09		1	9/23/2024	12:47		9/27/2024	
1050	Silver	200.7	0.10	mg/L	0.002	ND		1	9/23/2024	12:47		9/27/2024	
052	Sodium	200.7	-	mg/L	1	ND		1	9/23/2024	12:47		9/27/2024	IS SUF
085	Thallium	200.8	0.002	mg/L	0.001	ND		1	9/23/2024	12:47		10/15/2024	A new
006	Uranium	200.8	0.030	mg/L	0.001	ND		1	9/23/2024	12:47		10/15/2024	
095	Zinc	200.7	5.000	mg/L	0.004	ND		1	9/23/2024	12:47		9/27/2024	
				Ph	ysical F	actors							
927	Alkalinity (Total as CaCO3)	2320B	-	mg/L	20	ND		1	9/23/2024	12:47		9/27/2024	
905	Apparent Color	2120B	15	CU	3	ND	NE R	1	9/23/2024	12:47		9/23/2024	15:30
928	Bicarbonate (as CaCO3)	2320B		mg/L	20	ND		1	9/23/2024	12:47		9/27/2024	
929	Carbonate (as CaCO3)	2320B	-	mg/L	20	ND		1	9/23/2024	12:47		9/27/2024	
910	Corrosivity	2330B	-	SI		-5.38	R2	1	9/23/2024	12:47		10/15/2024	
905	Foaming Agents	5540C	0.5	mg/L	0.1	ND		1	9/23/2024	12:47		9/25/2024	12:20
		ME	BAS, calcul	ated as Lii	near Alkyl	ate Sulfonate	e (LAS	), mol	wt of 342.4 g	/mole			
915	Hardness	2340B	-	mg/L	5.0	ND		1	9/23/2024	12:47		9/27/2024	
021	Hydroxide (as CaCO3)	2320B	-	mg/L	20	ND		1	9/23/2024	12:47		9/27/2024	
920	Odor Temperature	2150B	-	Deg, C		21		1	9/23/2024	12:47		9/23/2024	14:30
920	Odor Threshold	2150B	3	ton	1	ND		1	9/23/2024	12:47		9/23/2024	14:30
925	pH	150.1	5-7	pH Units		5.5		1	9/23/2024	12:47		9/23/2024	14:45
254	pH Temperature	150.1	- 1	Deg, C		21		1	9/23/2024	12:47		9/23/2024	14:45
064	Specific Cond. @ 25 deg. C	2510B		umhos/c m	1	1		1	9/23/2024	12:47		9/27/2024	
930	Total Dissolved Solids	2540C	500	mg/L	10	ND		1	9/23/2024	12:47		9/25/2024	
100	Turbidity	2130B	1	NTU	0.1	ND		1	9/23/2024	12:47		9/23/2024	15:20
				Inorgan	nic Analy	rtes - Other	•						900
011	Bromate	300.1	0.010	mg/L	0.005	ND		1	9/23/2024	12:47		10/1/2024	
004	Bromide	300.1		mg/L	0.005	ND		1	9/23/2024	12:47		10/1/2024	100
006	Chloramine as Cl2	4500CI-G	4.0	mg/L	0.05	ND		1	9/23/2024	12:47		9/23/2024	16:09
017	Chloride	300.0	250	mg/L	1.0	ND	TO U	1	9/23/2024	12:47		9/24/2024	11:40
000	Chlorine - Total	4500CI-G	_	mg/L	0.10	ND		1	9/23/2024	12:47		9/23/2024	16:09
012	Chlorine as CI2	4500CI-G	4.0	mg/L	0.05	ND		1	9/23/2024	12:47		9/23/2024	16:06
008	Chlorine Dioxide as Cl02	4500Cl02D	0.8	mg/L	0.1	ND		1	9/23/2024	12:47		9/23/2024	16:14
009	Chlorite	300.1	1.0	mg/L	0.005	ND		1	9/23/2024	12:47		10/1/2024	
025	Fluoride	300.0	4.0	mg/L	0.10	ND		1	9/23/2024	12:47		9/24/2024	11:40
040	Nitrate as N	300.0	10	mg/L	0.05	ND	D.A.	1	9/23/2024	12:47	THE WAY	9/24/2024	11:40
041	Nitrite as N	300.0	1	mg/L	0.05	ND		1	9/23/2024	12:47		9/24/2024	11:40
1044	Ortho Phosphate	300.0	-	mg/L	2.0	ND		1	9/23/2024	12:47		9/24/2024	11:40
055	Sulfate	300.0	250	mg/L	5.0	ND		1	9/23/2024	12:47		9/24/2024	11:40
			Org	anic Ana	alytes - T	rihalometh	anes						
2943	Bromodichloromethane	524.2 THMs		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024	

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 2 of 6 468725 50 DDBP Date Printed: 10/24/2024 9:24:32 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

# SAMPLE CODE: 468725 10/24/2024

					10/24/20							
Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
2942	Bromoform	524.2 THMs	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
2941	Chloroform	524.2 THMs		mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
944	Dibromochloromethane	524.2 THMs	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
ACT OF AC			Org	anic An	alytes - H	aloacetic Ac	ids					
454	Dibromoacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	9/23/2024	12:47	9/26/2024	10/3/2024	
451	Dichloroacetic Acid	552.2 HA	As-	ug/L	1.0	ND	1	9/23/2024	12:47	9/26/2024	10/3/2024	1
453	Monobromoacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	9/23/2024	12:47	9/26/2024	10/3/2024	
450	Monochloroacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	9/23/2024	12:47	9/26/2024	10/3/2024	
452	Trichloroacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	9/23/2024	12:47	9/26/2024	10/3/2024	
456	Total HAAs	552.2 HA	As 60	ug/L	1.0	ND	1	9/23/2024	12:47	9/26/2024	10/3/2024	
		11 TO 10 TO	A CONTRACTOR OF THE PARTY OF TH	Organi	c Analyte	s - Volatiles						
986	1,1,1,2-Tetrachloroethane	524.2		mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
988	1,1,2,2-Tetrachloroethane	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
978	1,1-Dichloroethane	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	-
977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
410	1,1-Dichloropropene	524.2		mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
420	1,2,3-Trichlorobenzene	524.2		mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
414	1,2,3-Trichloropropane	524.2		mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	9/23/2024	12:47	THE PARTY	9/24/2024	
418	1,2,4-Trimethylbenzene	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	THE .
980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	- 1	9/23/2024	12:47	7-7-1	9/24/2024	
983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	44.7
424	1,3,5-Trimethylbenzene	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
967	1,3-Dichlorobenzene	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	NATION AND DESCRIPTION OF THE PARTY OF THE P
412	1,3-Dichloropropane	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	The I
969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	LITER I
416	2,2-Dichloropropane	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	4
965	2-Chlorotoluene	524.2		mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
966	4-Chlorotoluene	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
030	4-Isopropyltoluene	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47	KE EEE	9/24/2024	A Part
990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
993	Bromobenzene	524.2	P-1974	mg/L	0.0005	ND	1	9/23/2024	12:47	454.54	9/24/2024	
430	Bromochloromethane	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	
214	Bromomethane	524.2	-	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	Sing C
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	9/23/2024	12:47		9/24/2024	

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 6 468725 50 DDBP Date Printed: 10/24/2024 9:24:33 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

# SAMPLE CODE: 468725 10/24/2024

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2216	Chloroethane	524.2	-	mg/L	0.0005	ND	17	1	9/23/2024	12:47		9/24/2024
2210	Chloromethane	524.2		mg/L	0.0005	ND	WH	1	9/23/2024	12:47		9/24/2024
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2228	cis-1,3-Dichloropropene	524.2		mg/L	0.0005	ND	ME	1	9/23/2024	12:47		9/24/2024
2408	Dibromomethane	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2212	Dichlorodifluoromethane	524.2	-	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND		1	9/23/2024	12:47	STORY OF	9/24/2024
2246	Hexachlorobutadiene	524.2	-	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2994	Isopropylbenzene	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2251	Methyl Tert Butyl Ether	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2247	Methyl-Ethyl Ketone	524.2		mg/L	0.005	ND	R2	1	9/23/2024	12:47		9/24/2024
2248	Naphthalene	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2422	n-Butylbenzene	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2997	o-Xylene	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2963	p and m-Xylenes	524.2	- STA	mg/L	0.0010	ND		1	9/23/2024	12:47		9/24/2024
			Due to the lim	itation of	EPA Metho	od 524.2, p	and m	n isome	ers of Xylene	are repor	rted as aggreg	ate.
2998	Propylbenzene	524.2	-	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2428	sec-Butylbenzene	524.2	-	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2996	Styrene	524.2	0.1	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2426	tert-Butylbenzene	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2991	Toluene	524.2	1	mg/L	0.0005	ND	WIT	1	9/23/2024	12:47		9/24/2024
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2224	trans-1,3-Dichloropropene	524.2		mg/L	0.0005	ND	Sal.	1	9/23/2024	12:47		9/24/2024
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2218	Trichlorofluoromethane	524.2	Name of the last	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2904	Trichlorotrifluoroethane	524.2		mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND		1	9/23/2024	12:47		9/24/2024
				Organ	ic Analyte	s - Others						
2414	1,2,3-Trichloropropane	504.1	0.00003	mg/L	0.00001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2931	1,2-Dibromo-3-chloropropane		0.0002	mg/L	0.00001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND	Total	1	9/23/2024	12:47	9/30/2024	9/30/2024
2105	2,4-D	515.4	70	ug/L	0.1	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2066	3-Hydroxycarbofuran	531.2		ug/L	1.0	ND	(A)	1	9/23/2024	12:47		9/30/2024
2051	Alachlor	525.2	2	ug/L	0.2	ND	ACLUS	1	9/23/2024	12:47	9/26/2024	10/16/2024
2047	Aldicarb	531.2	7	ug/L	1.0	ND	379	1	9/23/2024	12:47		9/30/2024
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND		1	9/23/2024	12:47		9/30/2024
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND		1	9/23/2024	12:47		9/30/2024
2043	Aldical D Sulloxide	JJ 1.Z		ug, L	1.0			recipi.	O/LO/LULT			

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 6 468725 50 DDBP Date Printed: 10/24/2024 9:24:34 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

# **ANALYTICAL REPORTS**

# SAMPLE CODE: 468725 10/24/2024

					10/24/20	27						
Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	D	F	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2356	Aldrin	505	22148	mg/L	0.00007	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2050	Atrazine	525.2	3	ug/L	0.1	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2625	Bentazon	515.4	-	ug/L	1	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2306	Benzo(A)pyrene	525.2	0.2	ug/L	0.02	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2076	Butachlor	525.2		ug/L	0.2	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2021	Carbaryl	531.2	4 5 14	ug/L	1.0	ND		1	9/23/2024	12:47		9/30/2024
2046	Carbofuran	531.2	40	ug/L	1.0	ND		1	9/23/2024	12:47		9/30/2024
2959	Chlordane	505	0.002	mg/L	0.0001	ND	FREE	1	9/23/2024	12:47	9/30/2024	9/30/2024
2031	Dalapon	515.4	200	ug/L	1	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND	HIE	1	9/23/2024	12:47	9/26/2024	10/16/2024
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND	1	1	9/23/2024	12:47	9/26/2024	10/16/2024
2440	Dicamba	515.4	H-MAR	ug/L	1	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2933	Dichloran	505		mg/L	0.001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2070	Dieldrin	505	11-11-11	mg/L	0.00002	ND	T.E.	1	9/23/2024	12:47	9/30/2024	9/30/2024
2041	Dinoseb	515.4	7	ug/L	0.2	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2032	Diquat	549.2	20	ug/L	0.4	ND		1	9/23/2024	12:47	9/25/2024	10/9/2024
2033	Endothall	548.1	100	ug/L	9	ND		1	9/23/2024	12:47	9/30/2024	10/9/2024
2005	Endrin	505	0.002	mg/L	0.00001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2034	Glyphosate	547	700	ug/L	6	ND		1	9/23/2024	12:47		10/2/2024
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	HE .	1	9/23/2024	12:47	9/30/2024	9/30/2024
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2010	Lindane	505	0.0002	mg/L	0.00002	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2022	Methomyl	531.2	-	ug/L	1.0	ND		1	9/23/2024	12:47		9/30/2024
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2045	Metolachlor	525.2		ug/L	0.2	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2595	Metribuzin	525.2	-	ug/L	0.2	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2626	Molinate	525.2	-	ug/L	0.2	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2036	Oxamyl	531.2	200	ug/L	1.0	ND		1	9/23/2024	12:47		9/30/2024
2934	Pentachloronitrobenzene	505	-	mg/L	0.0001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2040	Picloram	515.4	500	ug/L	0.1	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2077	Propachlor	525.2	-	ug/L	0.2	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND		1	9/23/2024	12:47	9/27/2024	10/2/2024
2037	Simazine	525.2	4	ug/L	0.07	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2627	Thiobencarb	525.2		ug/L	0.2	ND		1	9/23/2024	12:47	9/26/2024	10/16/2024
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND	KVIII.	1	9/23/2024	12:47	9/30/2024	9/30/2024
2910	Total Phenols	420.4	-	mg/L	0.001	ND	R2	1	9/23/2024	12:47		9/24/2024
2020	Toxaphene	505	0.003	mg/L	0.001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024
2055	Trifluralin	505		mg/L	0.001	ND		1	9/23/2024	12:47	9/30/2024	9/30/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 5 of 6 468725 50 DDBP Date Printed: 10/24/2024 9:24:35 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

# **ANALYTICAL REPORTS**

SAMPLE CODE: 468725 10/24/2024

Fed Id # Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed	
					Dotootou		Campion			

#### Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.



Analyst	Tests
ZSC	200.7,2330B,2340B
DMJ	200.8
SP	2320B,2120B,5540C,2150B,150.1,2510B,2540C,2130B
SG	300.1,300.0
DHG	4500Cl-G,4500Cl02D,420.4
SB	524.2 THMs,524.2,531.2,549.2,547
BNF	552.2 HAAs,504.1,515.4,505
JLF	525.2,548.1

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 6 of 6 468725 50 DDBP

Date Printed: 10/24/2024 9:24:35 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 468726 10/24/2024

Tulpehocken Spring Water **Customer:** 

**Greg Miles** 

Laboratory ID: 68-00362

750 Point Township Drive Northumberland, PA 17857 Source: Indian Trail Mtn. Spring Wtr.

**Source Type:** Other

Distilled Water **Brand Name:** Production Code: 9/11/26 4496031-105

Container Size: 5 Gallon PWS ID#: 4496031 PA PWS ID#: 4496031 **PA Location:** EP# 105

9/12/2024 08:29 **Date/Time Received:** 

G. Miles Collected by:

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

#### Legend:

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

This contaminant was not detected at or above our lower reporting limit (LRL) "ND"

"NA" Not Analyzed

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA "Standard"

Secondary Standards.

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant. "LRL"

This column indicates the contaminant dilution factor. "DF"

**Report Notes:** Distilled Water

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
				Mi	crobiol	ogicals							
3100	Total Coliform by P/A	9223B		P/A				1	9/23/2024	12:47		9/24/2024	11:19
		Т	otal Coliform	and E.co	oli were A	BSENT in this	sam	ple.					
					USP X	XIII							
1003	Ammonia (as NH3)	USP XXIII	-	Pass/Fa	il	Pass	R2	1	9/23/2024	12:47		10/1/2024	
1016	Calcium	USP XXIII		Pass/Fa	il	Pass	R2	1	9/23/2024	12:47		10/1/2024	
1901	Carbon Dioxide (Free CO2)	USP XXIII	-	Pass/Fa		Pass	R2	1	9/23/2024	12:47		10/1/2024	
1017	Chloride	USP XXIII		Pass/Fa		Pass	R2	1	9/23/2024	12:47		10/1/2024	
	Heavy Metals (USP)	USP XXIII	-	Pass/Fa	1	Pass	R2	1	9/23/2024	12:47		10/1/2024	
	Oxidizables (USP)	USP XXIII		Pass/Fa	il	Pass	R2	1	9/23/2024	12:47		10/1/2024	
1925	pH	USP XXIII	-	pH Units	TITLE O	5.5	R2	1	9/23/2024	12:47		9/23/2024	14:45
1055	Sulfate	USP XXIII	-	Pass/Fa	il	Pass	R2	1	9/23/2024	12:47		10/1/2024	
	Total Solids	USP XXIII	10	mg/L	10	ND	R2	1	9/23/2024	12:47		10/1/2024	

#### Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd. Date Printed: 10/24/2024 9:24:36 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

**SAMPLE CODE: 468726** 10/24/2024

Fed Id # Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed	



Analyst	Tests	
GK	9223B	
DHG	USP XXIII	
SP	USP XXIII	
CF	USP XXIII	

Laboratory ID: 68-00362

# **National Testing Laboratories, Ltd**

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 468724 10/24/2024

Tulpehocken Spring Water **Customer:** 

**Greg Miles** 

750 Point Township Drive Northumberland, PA 17857 Source:

Indian Trail Mtn. Spring Wtr.

Source Type:

Other

**Distilled Water Brand Name:** Production Code: 9/11/26 4496031-105

Container Size: PWS ID#:

5 Gallon

PA PWS ID#:

4496031 4496031

**PA Location:** 

105

**Date/Time Received:** 

9/12/2024 08:29

Collected by:

G. Miles

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

#### Legend:

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

This contaminant was not detected at or above our lower reporting limit (LRL) "ND"

"NA" Not Analyzed

"Standard"

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant. "LRL"

"DF" This column indicates the contaminant dilution factor.

**Report Notes:** 

Distilled Water

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
				Mi	crobio	logicals							
3114	E. Coli	9223B	1	MPN/100 mL	1	ND		1	9/23/2024	12:47		9/24/2024	12:26
3001	Standard Plate Count	9215B	500	CFU/ml	1	560*	46	1	9/23/2024	12:47		9/24/2024	12:26
			Pour Plate M	Method, 35°	C/48hr,	Plate Count Aga	r						
3000	Total Coliform	9223B	1	MPN/100 mL	1	ND		1	9/23/2024	12:47		9/24/2024	12:26

#### Qualifiers:

A6: The colony count for SPC bacteria is outside the method specifications and the result should be considered as estimated CFU per milliliter.

Analyst Tests GK 9223B.9215B

Christine MacMillan, Technical Director



Pace Analytical Services, LLC. 1700 Elm Street

Minneapolis, MN 55414 Phone: 612.607.1700

Fax: 612.607.6444

# **Report Prepared for:**

National Laboratories National Testing Laboratories 6571 Wilson Mills Road Cleveland OH 44143

> REPORT OF LABORATORY ANALYSIS FOR 2,3,7,8-TCDD

### **Report Summary:**

Enclosed are analytical results of one drinking water sample analyzed for 2,3,7,8-TCDD content. This sample was analyzed according to Method 1613B by High Resolution Gas Chromatography/High Resolution Mass Spectrometry.

The results reported for this sample and the associated quality control samples were all within the criteria described in Method 1613B. If you have any questions or concerns regarding these results, please contact Joanne Richardson, your Pace Project Manager.

**Pace Project Number:** 

10709247

**Report Prepared Date:** 

October 3, 2024

# **Finished Product**

Sample ID: 468725

Source Name: Indian Trail Mtn. Spring Wtr

Source Location: Gratz PA

PWS ID: 4496031

Date & Time Opened: N/A

Opened By:

Laboratory Sample ID: 10709247001 Date Sampled: 09/23/2024 @ 12:47 Date Received: 09/25/2024 @ 09:40

This report has been reviewed by:

October 03, 2024

Joanne Richardson, (612) 607-6453

(612) 607-6444 (fax)



# Report of Laboratory Analysis

 $This report should not be reproduced, except in full, \\without the written consent of Pace Analytical Services, Inc.$ 

The results relate only to the samples included in this report.



Pace Analytical Services, LLC


1700 Elm Street SE Minneapolis, MN 55414 Phone: 612.607.1700 Fax: 612.607.6444 www.pacelabs.com

# **Minnesota Laboratory Certifications**

Authority	Certificate #	Authority	Certificate #
		Missouri	10100
A2LA	2926.01	Montana	CERT0092
Alabama	40770	Nebraska	NE-OS-18-06
Alaska-DW	MN00064	Nevada	MN00064
Alaska-UST	17-009	New Hampshire	2081
Arizona	AZ0014	New Jersey	MN002
Arkansas - WW	88-0680	New York	11647
Arkansas-DW	MN00064	North Carolina-DW	27700
California	2929	North Carolina-WW	530
Colorado	MN00064	North Dakota	R-036
Connecticut	PH-0256	Ohio-DW	41244
Florida	E87605	Ohio-VAP (1700)	CL101
Georgia	959	Ohio-VAP (1800)	CL110
Hawaii	MN00064	Oklahoma	9507
Idaho	MN00064	Oregon-Primary	MN300001
Illinois	200011	Oregon-Secondary	MN200001
Indiana	C-MN-01	Pennsylvania	68-00563
lowa	368	Puerto Rico	MN00064
Kansas	E-10167	South Carolina	74003
Kentucky-DW	90062	Tennessee	TN02818
Kentucky-WW	90062	Texas	T104704192
Louisiana-DEQ	AI-84596	Utah	MN00064
Louisiana-DW	MN00064	Vermont	VT-027053137
Maine	MN00064	Virginia	460163
Maryland	322	Washington	C486
Michigan	9909	West Virginia-DEP	382
Minnesota	027-053-137	West Virginia-DW	9952C
Minnesota-Ag	via MN 027-053-137	Wisconsin	999407970
Minnesota-Petrofund	1240	Wyoming-UST	via A2LA 2926.01
Mississippi	MN00064		

# **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





1700 Elm Street, Suite 200 Minneapolis, MN 55414 Phone: 612.607.1700

Fax: 612.607.6444 www.pacelabs.com

# **Reporting Flags**

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- H2 = Extracted outside of holding time
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs

# REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

Quality Water Analysis

1-800-458-3330

# Beverage - Finished Product

Order Number:

2248714

Order Date:

8/26/2024

Sample Number:

468725

Product:

50 DDBP

Paid: No

Method: Purchase

P.O.:

Order

TSR: SBW

	For Laboratory Use ONLY
	Lab Accounting Information:
Northumberland PA 17857	Payment \$:
Northumberland PA 17857	Check #:
	Lab Comments/Special Instructions:
	Distilled Product
If finished product is submitted in laboratory containers, complete the following information.	
Date Opened:/ Time Opened:: Please Use Military Time, e.g. 3:00pm = 15:00	Biofin
Check Time Zone: EST CST MST PST	
	State Forms:
	\\footnote{\sigma}^\chi_\chi_\chi_\chi_\chi_\chi_\chi_\chi_
	Lab Sample Information:
	Lab Sample Information: RECEIVED SFF 1 2 2024
PWS ID# (if applicable): 4496031 - 105	Time Received:: <u>0879</u>
Source Type: Spring Well Municipal  Other: WATER	Received By:
'	Date Opened: <u>SEP 2 3 2024</u>
Source Name: The Anti-Soling Water (Source Information is REQUIRED for All Finished Products)	Time Opened: 12:47
City & State: GRATZ PA.	Opened By: A. Montgonery
(If Different than Above)	Sample receipt criteria checked & acceptable
Product Collected By: (Signature)	Deviations from acceptable sample receipt criteria noted on PSA form.
Product Collected By: GREG MilES	
Brand Name/Product Type: (Please Print)	
e.g. XYZ Spring Water or XYZ Distilled Water	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR
Container Size: 5 9A/ON	PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE THE FOLLOWING:
Production Code/Lot Number: 9/11/26 4496031-105	enn. PWS ID#: 4496031
Samuel Commission But Gold Miles	ocation: 105
Additional Comments:	

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

Rev: SRT102120

#### ENV-FRM-MIN4-0150 v17\_Sample Condition Upon Receipt CLIENT NAME: National Testing Lab. PROJECT #: (0);; 241(0)7(0)2)2247/ CO⊔RIER: ☐ Client ☐ Commercial ☐ FedFx □ Pace PM: JMR Due Date: 10/04/24 ☐ SpeeDee ☑ UPS □ USPS CLIENT NITE TRACKING NUMBER: 2AN9310173522844 ☐ See Exceptions form ENV-FRM-MIN4-0142 Custody Seal on Cooler/Box Present: 🗆 YES 💆 NO Seals Intact: 🗆 YES 💆 NO Biological Tissue Frozen: 🗀 YES 🗀 NO 📈 N/A Packing Material: 🗆 Bubble Bags 🗀 Bubble Wrap 🗅 None 🖊 Other 🛮 Temp Blank: 💆 YES 🗆 NO Type of ice: 🗀 Blue 🗀 Dry 📈 Wet ☐ Melted ☐ None □ T7 (0042) □ T8 (0775) □ T9 (0727) □ 01339252 (1710) Did Samples Originate in West Virginia: 🔲 YES 🗹 NO Were All Container Temps taken: ☐ YES ☐ NO Ø N/A Cooler Temp Read w/Temp Blank: 3. 6 ℃ Correction Factor: TYVE Average Corrected Temp (no Temp Blank Only): \_ Cooler Temp Corrected w/Temp Blank: 3.6 °C NOTE: Temp should be above freezing to 6°C. ☐ See Exceptions Form ENV-FRM-MIN4-0142 □ 1 Container Initials & Date of Person Examining Contents: 92524 USDA Regulated Soil: N/A Water Sample Other (describe): Did Samples originate from one of the following states (check maps) - AL, AR, AZ, CA, FL, Did samples originate from a foreign source (international, including GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA: YES NO Hawaii and Puerto Rico): ☐ YES ☐ NO NOTE: If YES to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork. LOCATION (check one): DULUTH Z MINNEAPOLIS VIRGINIA NO COMMENT(S) Chain of Custody Present and Filled Out? Chain of Custody Relinquished? Z 2. Sampler Name and/or Signature on COC? Ø Samples Arrived within Hold Time? Ø 4. If Fecal: □ <8 hrs □ >8 hr, <24 hr □ No Short Hold Time Analysis (<72 hr)? Ø 5. □ BOD / cBOD □ Fecal coliform □ Hex Chrom ☐ HPC ☐ Nitrate ☐ Nitrite ☐ Ortho Phos ☐ Total coliform/E. coli ☐ Other: Rush Turn Around Time Requested? Ø 6. Sufficient Sample Volume? Ø 7. **Correct Containers Used?** Z 8. Z - Pace Containers Used? ZÍ Containers Intact? Field Filtered Volume Received for Dissolved Tests? П 10. Is sediment visible in the dissolved container: ☐ YES ☐ NO Ø Is sufficient information available to reconcile the samples to the COC? 11. If NO, write ID/Date/Time of container below: NOTE: If ID/Date/Time don't match fill out section 11. Matrix: ☐ Oil ☐ Soil ☐ Water ☐ Other ☐ See Exceptions form ENV-FRM-MIN4-0142 All containers needing acid/base preservation have been checked? Z 12. Sample #: All containers needing preservation are found to be in compliance with EPA Z recommendation? (HNO<sub>3</sub>, H<sub>2</sub>SO<sub>4</sub>, < 2 pH, NaOH > 9 Sulfide, NaOH > 10 ☐ HNO<sub>3</sub> ☐ H<sub>2</sub>SO<sub>4</sub> ☐ NaOH ☐ Zinc Acetate Positive for Residual Chlorine: ☐ YES ☐ NO Exceptions: VOA, Coliform, TOC/DOC, Oil & Grease, DRO/8015 (water) and Ø П pH Paper Lot # Qioxins/PPAS Residual 0-6 Roll 0-6 Strip 0-14 Strip Chlorine NOTE: If adding preservation to the container, verify with the PM first. Clients may require adding preservative to the field and equipment blanks when this occurs. ☐ See Exceptions form ENV-FRM-MIN4-0142 Headspace in Methyl Mercury Container? Z 13. Extra labels present on soil VOA or WIDRO containers? Z ☐ See Exceptions form ENV-FRM-MIN4-0140 Headspace in VOA Vials (greater than 6mm)? Ø Trip Blanks Present? Ø Pace Trip Blank Lot # (if purchased): Trip Blank Custody Seals Present? CLIENT NOTIFICATION / RESOLUTION FIELD DATA REQUIRED: ☐ YES ☐ NO Person Contacted: Date & Time: Comments-/-Resolution:-Richardson Project Manager Review: Voque Date: 9-26-24 NOTE: When there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEQ Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers). Labeled By:

Qualtrax ID: 52742

Effective Date: 05/10/24

Page 1 of 1



# **Drinking Water Analysis Results** 2,3,7,8-TCDD -- USEPA Method 1613B

Тей12-607-1700 Fax612-607-6444

Sample ID468725	Date Collected09/23/2024	Spike200 pg
Client National Testing Laborato	Date Received09/25/2024	IS Spike2000 pg
Lab Sample ID 10709247001	Date Extracted09/27/2024	CS Spike200 pg

	<b>Sample</b> 468725	Method Blank	Lab Spike	Lab Spike Dup
[2,3,7,8-TCDD]	ND	ND		
LOQ	5.0 pg/L	5.0 pg/L		
2,3,7,8-TCDD Recovery			102%	114%
pg Recovered			205pg/L	228pg/L
Spike Recovery Limit			73-146%	73-146%
RPD			10	0.8%
IS Recovery	40%	45%	56%	50%
pg Recovered	792 pg/L	891 pg/L	1112 pg/L	994 pg/L
IS Recovery Limits	31-137%	31-137%	25-141%	25-141%
CS Recovery	61%	60%	71%	73%
pg Recovered	122 pg/L	121 pg/L	141 pg/L	146 pg/L
CS Recovery Limits	42-164%	42-164%	37-158%	37-158%
Filename	E240930B 13	E240930A 10	E240930A 08	E240930A 09
Analysis Date	10/01/2024	09/30/2024	09/30/2024	09/30/2024
Analysis Time	04:17	13:46	12:41	13:14
Analyst	JF	JF	JF	JF
Volume	0.959L	0.974L	0.944L	0.958L
Dilution	NA	NA	NA	NA
ICAL Date	09/26/2024	09/26/2024	09/26/2024	09/26/2024
CCAL Filename	E240930B 02	E240930A 04	E240930A_04	E240930A_04

= Outside the Control Limits

ND = Not Detected

LOQ = Limit of Quantitation

= Control Limits from Method 1613 (10/94 Revision), Tables 6A and 7A Limits

RPD

= Relative Percent Difference of Lab Spike Recoveries = Internal Standard [2,3,7,8-TCDD- <sup>13</sup>C<sub>12</sub>] = Cleanup Standard [2,3,7,8-TCDD- <sup>37</sup>Cl<sub>4</sub>] IS **CS** 

Project No.....10709247

Analyst: Josep Floring





Project:

PWS PA 4496031, 2248714

Pace Project No.: 30720549

Method: SM 7500RnB-1996 Description: 7500RnB Radon

Client: National Testing Laboratories, Ltd.

Date: October 08, 2024

#### **General Information:**

1 sample was analyzed for SM 7500RnB-1996 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

#### **Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

#### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

#### **Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

#### **Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.





Project:

PWS PA 4496031, 2248714

Pace Project No.: 30720549

Method:

**EPA 900.0** 

Description: 900.0 Gross Alpha/Beta

Client:

National Testing Laboratories, Ltd.

Date:

October 08, 2024

#### **General Information:**

1 sample was analyzed for EPA 900.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

#### **Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

#### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

#### **Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

#### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.



Project: PWS PA 4496031, 2248714

Pace Project No.: 30720549

Method: EPA 903.1

Description: 903.1 Radium 226, DW

Client: National Testing Laboratories, Ltd.

Date: October 08, 2024

#### **General Information:**

1 sample was analyzed for EPA 903.1 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

#### **Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

#### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

#### **Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

#### **Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.





Project: PWS PA 4496031, 2248714

Pace Project No.: 30720549

Method: EPA 904.0

Description: 904.0 Radium 228, DW

Client: National Testing Laboratories, Ltd.

Date: October 08, 2024

#### **General Information:**

1 sample was analyzed for EPA 904.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

#### **Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

#### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

#### **Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

#### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.





Project:

PWS PA 4496031, 2248714

Pace Project No.: 307

30720549

Method: Total Radium Calculation

Description: Total Radium 228+226

Client:

National Testing Laboratories, Ltd.

Date:

October 08, 2024

#### **General Information:**

1 sample was analyzed for Total Radium Calculation by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

#### **Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

#### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

#### **Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

#### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

#### **Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.



#### **ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project:

PWS PA 4496031, 2248714

Pace Project No.: 30720549

Sample: 468725

Lab ID: 30720549001

Collected: 09/23/24 12:47 Received: 09/25/24 10:05 Matrix: Drinking Water

PWS:

Site ID:

Sample Type:

Comments:

• FINISHED PRODUCT, Indian Trail Mtn. Spring Wtr., Gratz, PA

Distilled Water, Prod. code: 9/11/26 4496031-105, Cont. size: 5 Gallon
 sample opened 09/23/24 @ 12:47 by AM

• The sampler's name and signature were not listed on the COC.

• Sample collection dates and times were not present on the sample containers.

• Upon receipt at the laboratory, 5.0 mls of nitric acid were added to the sample to meet the sample preservation requirement of pH

<2 for radiochemistry analysis, where the method requires preservation, in drinking water.

• The samples were preserved pH <2 within the required 5 days of collection (EPA 815-R-05-004).

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
	Pace Analytical S	ervices - Greensburg				
Radon	SM 7500RnB-1996	-8.5 ± 26.8 (47.7) C:NA T:NA	pCi/L	09/25/24 21:16	10043-92-2	
	Pace Analytical S	ervices - Greensburg				
Gross Alpha	EPA 900.0	-0.228 ± 0.873 (2.45) C:NA T:NA	pCi/L	10/07/24 10:41	12587-46-1	
Gross Beta	EPA 900.0	-0.510 ± 0.535 (1.59) C:NA T:NA	pCi/L	10/07/24 10:41	12587-47-2	
	Pace Analytical S	ervices - Greensburg				
Radium-226	EPA 903.1	0.819 ± 0.669 (0.976) C:NA T:90%	pCi/L	10/02/24 12:34	13982-63-3	
	Pace Analytical S	ervices - Greensburg				
Radium-228	EPA 904.0	0.947 ± 0.426 (0.793) C:76% T:83%	pCi/L	10/01/24 11:43	15262-20-1	
	Pace Analytical S	ervices - Greensburg				
Total Radium	Total Radium Calculation	1.77 ± 1.10 (1.77)	pCi/L	10/02/24 16:22	7440-14-4	





Project:

PWS PA 4496031, 2248714

Pace Project No.:

QC Batch Method:

30720549

QC Batch:

698699

Analysis Method:

EPA 903.1

EPA 903.1

Analysis Description:

903.1 Radium-226, DW

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30720549001

METHOD BLANK: 3402645

Matrix: Drinking Water

Associated Lab Samples:

30720549001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radium-226

0.000 ± 0.152 (0.402) C:NA T:97%

pCi/L

10/02/24 12:34





Project:

PWS PA 4496031, 2248714

Pace Project No.:

QC Batch Method:

30720549

QC Batch:

698776

EPA 900.0

Analysis Method:

EPA 900.0

Analysis Description:

Matrix: Water

900.0 Gross Alpha/Beta

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

Associated Lab Samples:

30720549001

METHOD BLANK: 3402951

30720549001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed 10/04/24 14:34 Qualifiers

Gross Alpha Gross Beta

1.31 ± 1.05 (1.84) C:NA T:NA -0.199 ± 0.544 (1.37) C:NA T:NA

pCi/L pCi/L 10/04/24 14:34





Project:

PWS PA 4496031, 2248714

Pace Project No.:

QC Batch Method:

30720549

QC Batch:

698552

SM 7500RnB-1996

Analysis Method:

SM 7500RnB-1996

Analysis Description:

7500Rn B Radon

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30720549001

Matrix: Water

METHOD BLANK: 3401649 Associated Lab Samples: 3

oles: 30720549001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radon

-3.3 ± 17.6 (31.1) C:NA T:NA

pCi/L 09/25/24 19:36





Project:

PWS PA 4496031, 2248714

Pace Project No.:

QC Batch Method:

30720549

QC Batch:

698698

EPA 904.0

Analysis Method:

EPA 904.0

Analysis Description:

904.0 Radium 228, DW

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30720549001

Matrix: Drinking Water

METHOD BLANK: 3402644
Associated Lab Samples: 3

30720549001

Parameter

Act ± Unc (MDC) Carr Trac

Units pCi/L Analyzed

Qualifiers

Radium-228

0.835 ± 0.384 (0.708) C:77% T:83%

10/01/24 11:39





#### **QUALIFIERS**

Project: PWS PA 4496031, 2248714

Pace Project No.: 30720549

#### **DEFINITIONS**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

**DUP - Sample Duplicate** 

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. Is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

Date: 10/08/2024 05:20 PM



## **QUALITY CONTROL DATA CROSS REFERENCE TABLE**


Project:

PWS PA 4496031, 2248714

Pace Project No.: 30720549

Date: 10/08/2024 05:20 PM

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30720549001	468725	SM 7500RnB-1996	698552		
30720549001	468725	EPA 900.0	698776		
30720549001	468725	EPA 903.1	698699		
30720549001	468725	EPA 904.0	698698		
30720549001	468725	Total Radium Calculation	700091		





**CERTIFICATIONS** 

Project:

PWS PA 4496031, 2248714

Pace Project No.: 30720549

Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ANAB DOD-ELAP Rad Accreditation #: L2417 ANABISO/IEC 17025:2017 Rad Cert#: L24170

Alabama Certification #: 41590 Arizona Certification #: AZ0734

Arizona Certification #: AZ

Arkansas Certification

California Certification #: 2950 Colorado Certification #: PA01547

Connecticut Certification #: PH-0694

EPA Region 4 DW Rad

Florida/TNI Certification #: E87683

Georgia Certification #: C040

**Guam Certification** 

Hawaii Certification

Idaho Certification

Illinois Certification

Indiana Certification

Iowa Certification #: 391

Kansas Certification #: E-10358

Kentucky Certification #: KY90133

KY WW Permit #: KY0098221

KY WW Permit #: KY0000221

Louisiana DHH/TNI Certification #: LA010

Louisiana DEQ/TNI Certification #: 04086

Maine Certification #: 2023021

Maryland Certification #: 308

Massachusetts Certification #: M-PA1457

Michigan/PADEP Certification #: 9991

Missouri Certification #: 235

Montana Certification #: Cert0082

Nebraska Certification #: NE-OS-29-14

Nevada Certification #: PA014572023-03

New Hampshire/TNI Certification #: 297622

New Jersey/TNI Certification #: PA051

New Jersey/TNI Certification #. FA031

New Mexico Certification #: PA01457

New York/TNI Certification #: 10888

New York/TNI Certification#. 10000

North Carolina Certification #: 42706

North Dakota Certification #: R-190

Ohio EPA Rad Approval: #41249

Oregon/TNI Certification #: PA200002-015

Pennsylvania/TNI Certification #: 65-00282

Puerto Rico Certification #: PA01457

Rhode Island Certification #: 65-00282

South Dakota Certification

Tennessee Certification #: TN02867

Texas/TNI Certification #: T104704188-22-18

Utah/TNI Certification #: PA014572223-14

USDA Soil Permit #: 525-23-67-77263

Vermont Dept. of Health: ID# VT-0282

Virgin Island/PADEP Certification

Virginia/VELAP Certification #: 460198

Washington Certification #: C868

West Virginia DEP Certification #: 143

West Virginia DHHR Certification #: 9964C

Wisconsin Approve List for Rad





#### **SAMPLE SUMMARY**

Project:

PWS PA 4496031, 2248714

Pace Project No.: 30720549

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30720549001	468725	Drinking Water	09/23/24 12:47	09/25/24 10:05

## **REPORT OF LABORATORY ANALYSIS**



# **SAMPLE ANALYTE COUNT**

Project:

PWS PA 4496031, 2248714

Pace Project No.:

30720549

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30720549001 46	468725	SM 7500RnB-1996	CS2	1	PASI-PA
		EPA 900.0	KET	2	PASI-PA
		EPA 903.1	LL1	1	PASI-PA
		EPA 904.0	JJS1	1	PASI-PA
		Total Radium Calculation	JAL	1	PASI-PA

PASI-PA = Pace Analytical Services - Greensburg

Quality Water Analysis

1-800-458-3330

Rev: SRT102120

# Beverage - Finished Product

Order Number:

2248714

Order Date:

8/26/2024

Sample Number:

468725

Product:

50 DDBP

Paid: No

Method: Purchase

P.O.:

Order

TSR: SBW

	For Laboratory Use ONLY
	Lab Accounting Information:
DA 47057	Payment \$:
Northumberland PA 17857	Check #:
	Lab Comments/Special Instructions:
tf finished product is submitted in laboratory containers, complete the following information.  Date Opened:/ / Time Opened::	Distilled Product
Please Use Military Time, e.g. 3:00pm = 15:00  Check Time Zone: EST CST MST PST	1 dolon / Junes
WO#: 30720549  PM: CMC Due Date: 10/16/24	State Forms:
CLIENT: NTL	Lab Sample Information: RECEIVED SFF 1.2 2024  Date Received: RECEIVED SFF 1.2 2024
PWS ID# (if applicable): 4496031 - 105	Time Received:: <u>0889</u>
Source Type: Spring Well Municipal  Other: WATER  Other: Topic Mater	Received By:
(Source Information is REQUIRED for All Finished Products)	Time Opened: 12:47
City & State: GRATE TA- (If Different than Above)	Opened By: // // // // Sample receipt criteria checked & acceptable
Product Collected By: (Signature)	Deviations from acceptable sample receipt criteria noted on PSA form.
Product Collected By: GREG MILES (Please Print)	
rand Name/Product Type:   Shilled Klater   e.g. XYZ Spring Water or XYZ Distilled Water	
ontainer Size: Sallon P	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR RODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE THE FOLLOWING:
roduction Code/Lot Number: 9/11/26 4496031-105 Per	nn. PWS ID#: 4496031
orm Completed By: GIRE9 Miles	cation: 105
dditional Comments:	

DC#_Title: ENV-FR	M-GE	UR-0	088	v07_Sample C	110# - 2	072054	9
Greensburg					MO# · S	012037	3
Gleensburg	Olechez - S						10/16/24
Pace Effective Date: 01/04/202	Effective Date: 01/04/2024						
Client Name:				Pro		Initial / Date	
Courier:  Fed Ex DUPS USPS Clien	t 🗆 Co	mmero	ial 🛘	Pace Other			6 7 2
Tracking Number: 12 11 737	9/	1		1110	Examine Labeled	8 dans	4
Thermometer Used:		Ice: \	Vet	Blue None	Temped		
Cooler Temperature: Observed Temp	_	_•C	Corr	ection Factor:			
Temp should be above freezing to 6°C				pH papez Lot#	D.P.D. Re	sidual Chlorine Lot	4
Comments	Yes	No	NA	101107			
Comments:	1/			1.			
Chain of Custody Present		1		2.			$\dashv$
Chain of Custody Filled Out: -Were client corrections present on COC	1						$\dashv$
Chain of Custody Relinquished		1		3.			-
Sampler Name & Signature on COC:		1		4.	11.11	tala / 14/2000 00	Amolo
Sample Labels match COC:	1			5. / 1/6 sample	collection of	the /time or	abels
-includes date/time/ID				1		ſ	110015
Matrix:	)						-{
Samples Arrived within Hold Time:	1	1 1		6.	1 1 01.	W. D. 1526	Jahohu
Short Hold Time Analysis (<72hr	W			7. Radon colle	ected on 912:	124 @ 1525:	212 1/20/27
						1217	-
remaining): Rush Turn Around Time Requested:				8.			1
Sufficient Volume:				9.			1
Correct Containers Used:				10.			7
-Pace Containers Used							1
Containers Intact:			_	11.			1
Orthophosphate field filtered:		-	-	12.			1
How Cr Aqueous samples field filtered:		-		13.			1
Organic Samples checked for dichlorination		-	1	14:			1
Filtered volume received for dissolved tests:	_	-+	_	15: 16.			
All containers checked for preservation:			-	Added 5. Oml	HN03 to / 1	7. /	
exceptions: VOA, coliform, TOC, O&G, Phenolics, Radon, on-aqueous matrix			6	such of the	3 BPIUS	adon	
All containers meet method preservation	T	1		Initial when	Date/Time of 9	25/24 1245	
requirements:	بل		-11	completed	AND DESCRIPTION OF THE PARTY OF		
Ledniterneurs.			i	ot# of added 3020	7701		
8260C/D: Headspace in VOA Vials (> 6mm)	1	-		17.			
624.1: Headspace in VOA Vials (0mm)			1		- 1		
Radon: Headspace in RAD Vials (0mm)	4		1	9. Trip blank custo	dy seal present?	YES or NO	
Trip Blank Present:	_	+	In		Pate: 4/25/24	Survey Meter SN:25014380	
Rad Samples Screened <.05 mrem/hr.				ompleted 2	1/2/21	SN:/> -17 300	
Comments:							

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office.

PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.

Qualtrax ID: 55680



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-5974 http://www.EMSL.com / cinnasblab@EMSL.com EMSL Order ID: Customer ID: Customer PO: 042419882 NTLI78 14630

Project ID:

Attn: Subcontract

National Testing Laboratories, Inc.

6571 Wilson Mills Road Cleveland, OH 44143 Phone: Fax: (440) 449-2525

Received:

(Ema) il -only 09/25/2024

Analyzed:

10/02/2024

Proj: 2248714/PWS ID 4496031/PA Location 105

# Test Report: Determination of Asbestos Structures >10µm in Drinking Water Performed by the 100.2 Method (EPA 600/R-94/134)

**ASBESTOS** 

Sample ID Client / EMSL	Sample Filtration Date/Time	Original Sample Vol. Filtered	Effective Filter Area	Area Analyzed	Asbestos Types	Fibers Detected	Analytical Sensitivity	Concentration	Confidence Limits
Chefit / EMSL		(ml)	(mm²)	(mm²)		MFL (million fibers per liter)			liter)
468725	9/25/2024	50	1345	0.1408	None Detected	ND	0.19	<0.19	0.00 - 0.70
042419882-0001	12:20 PM								

Collection Date/Time: 09/23/2024 12:47 PM

Bottle supplied by client.

Analyst(s)

Amir Moore

(1)

Samantta Remotiono

Samantha Rundstrom, Laboratory Manager or Other Approved Signatory

Any questions please contact Samantha Rundstrom-Cruz.

Initial report from: 10/03/2024 01:59:04

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples are received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Estimation of uncertainty is available on request. Sample collection performed by the client. Pre-cleaned sample containers are available for purchase from EMSL. Note if sample containers are provided by the client, acceptable bottle blank level is defined as \$0.01MFL for >=10um fibers. ND=None Detected. No Fibers Detected: the value will be reported as less than 369% of the concentration equivalent to one fiber. 1 to 4 fibers: The result will be reported as less than the corresponding upper 95% confidence limit (Poisson), 5 to 30 fibers: Mean and 95% confidence intervals will be reported on the basis of the Poisson assumption. When more than 30 fibers are counted, both the Gaussian 95% confidence interval and the Poisson 95% confidence interval will be calculated. The large of these two intervals will be selected for data reporting. When the Gaussian 95% confidence interval is selected for data reporting, the Poisson will also be noted.



Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NELAC NYS ELAP 10872, NJ DEP 03036, FL DOH E87975, PA ID# 68-00367

# **Case Narrative**

Client: National Testing Laboratories, Ltd

Project: 468725/ 2248714

Job ID: 810-121616-1

**Eurofins Eaton Analytical South Bend** 

Job ID: 810-121616-1

Job Narrative 810-121616-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these
  situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise
  specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 9/25/2024 10:00 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.8°C.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**General Chemistry** 

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

2

3

4

5

0

TA

10

10

11

# **Client Sample Results**

Client: National Testing Laboratories, Ltd

Project/Site: 468725/ 2248714 Client Sample ID: 468725

Date Collected: 09/23/24 12:47 Date Received: 09/25/24 10:00 Job ID: 810-121616-1

Lab Sample ID: 810-121616-1

3 4 5 6 **Matrix: Drinking Water** 

Method:	<b>EPA</b>	522 -	1.4	Dioxane	(GC/MS	SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	<0.070		0.070		ug/L		09/26/24 09:33	09/27/24 16:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Dioxane-d8 (Surr)	82		70 - 130	09/26/24 09:33	09/27/24 16:28	1

# Method: EPA 331.0 - Perchlorate (LC/MS/MS)

Method. LFA 331.0 - Fercino	ate (LONNONNO)							
Analyte	Result Qualifie	r RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perchlorate	<0.050	0.050		ug/L			10/01/24 09:39	1

#### **General Chemistry** Dil Fac Prepared Analyzed RL MDL Unit Analyte Result Qualifier 09/27/24 10:10 09/27/24 11:28 Cyanide, Total (EPA 335.4) <0.0050 0.0050 mg/L

# **Definitions/Glossary**

Client: National Testing Laboratories, Ltd

Toxicity Equivalent Quotient (Dioxin)

Too Numerous To Count

TEQ TNTC

Project/Site: 468725/ 2248714

Job ID: 810-121616-1

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC .	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

## **Lab Chronicle**

Client: National Testing Laboratories, Ltd

Project/Site: 468725/ 2248714 Client Sample ID: 468725

Date Collected: 09/23/24 12:47 Date Received: 09/25/24 10:00

Job ID: 810-121616-1

**Matrix: Drinking Water** 

Lab Sample ID: 810-121616-1

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Type	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Prep	522			116468	AM	EA SB	09/26/24 09:33
Total/NA	Analysis	522		1	116625	KO	EA SB	09/27/24 16:28
Total/NA	Analysis	331.0		1	116904	GL	EA SB	10/01/24 09:39
Total/NA	Prep	Distill/CN			116646	KH	EA SB	09/27/24 10:10
Total/NA	Analysis	335.4		1	116679	KH	EA SB	09/27/24 11:28

#### **Laboratory References:**

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

# **Accreditation/Certification Summary**

Client: National Testing Laboratories, Ltd

Project/Site: 468725/ 2248714

Job ID: 810-121616-1

#### **Laboratory: Eurofins Eaton Analytical South Bend**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Progr	am	Identification Number	Expiration Date
Ohio	State		87775	06-30-25
• •	s are included in this report, b does not offer certification.	ut the laboratory is not certified l	by the governing authority. This lis	t may include analytes
Analysis Method	Prep Method	Matrix	Analyte	
331.0		Drinking Water	Perchlorate	
335.4	Distill/CN	Drinking Water	Cyanide, Total	
522	522	Drinking Water	1,4-Dioxane	

3

4

5

6

7

8

10

T

# **Method Summary**

Client: National Testing Laboratories, Ltd

Project/Site: 468725/ 2248714

Job ID: 810-121616-1

Laboratory

EA SB

EA SB

EA SB

EA SB

EA SB

Protocol

EPA

EPA

EPA

EPA

None

Miles.	

100			
u	ı		
	ä	٠,	
81	3	٠,	
- 100			
501			

٠.	
В	

۰			
	G	ì	
	C	b	
		4	







Method

522

331.0

335.4

522

EPA = US Environmental Protection Agency

Cyanide, Total

**Method Description** 

1,4 Dioxane (GC/MS SIM)

Solid-Phase Extraction (SPE)

Perchlorate (LC/MS/MS)

None = None

**Protocol References:** 

#### **Laboratory References:**

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

# **Sample Summary**

Client: National Testing Laboratories, Ltd

Project/Site: 468725/ 2248714

Job ID: 810-121616-1

2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
810-121616-1	468725	Drinking Water	09/23/24 12:47	09/25/24 10:00

E

7

:

9

10

#### Beverage - Finished Product M National Testing Laboratories, Ltd. Order Number: 2248714 Order Date: 8/26/2024 Quality Water Analysis 468775 Sample Number: 50 DDBP Product: 1-800-458-3330 P.O.: Paid: No Method: Purchase Order TSR: SBW For Laboratory Use ONLY Lab Accounting Information: Payment \$:\_ 17857 Northumberland Check #:\_ Lab Comments/Special Instructions: **Distilled Product** If finished product is submitted in Jaboratory containers, complete the following information. Cn, perchlorate, Time Opened: Date Opened: Please Use Military Time, e.g. 3:00pm = 15:00 Check Time Zone: EST CST MST PST Lab Sample Information: RECEIVED SFF 12 2024 **Date Received:** PWS ID# (if applicable): 4496031 - 105 Time Received: ☐ Well Municipal Source Type: Spring Received By: SFP 2 3 202 Date Opened: Source Name: Time Opened: Opened By: City & State: Sample receipt criteria checked & acceptable **Product Collected By** Deviations from acceptable sample receipt criteria noted on PSA form. Product Collected By Brand Name/Product Type: e.g. XYZ Spring Water or XYZ Distilled Water IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR Container Size: PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE THE FOLLOWING: Production Code/Lot Number Penn. PWS ID#: 4496031

Location: 105

**Additional Comments:** 

Rev: SRT102120

Form Completed By:

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS



October 1, 2024

Christine Macmillan National Testing Laboratories, LTD 6571 Wilson Mills Road Cleveland, OH 44143

Project Location: Indian Trail Mtn. Spring Water

Client Job Number: Project Number: 4496031

Laboratory Work Order Number: 24I3564

PWSID# PA4496031

Enclosed are results of analyses for samples as received by the laboratory on September 25, 2024. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Karriem G. Marius Project Manager

# Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
24I3564-01	5
Sample Preparation Information	6
QC Data	7
Semivolatile Organic Compounds by - LC/MS-MS	7
B387561	7
Flag/Qualifier Summary	9
Certifications	10
Chain of Custody/Sample Receipt	11



National Testing Laboratories, LTD 6571 Wilson Mills Road Cleveland, OH 44143 ATTN: Christine Macmillan

REPORT DATE: 10/1/2024

PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

4496031

24I3564

The results of analyses performed on the following samples submitted to Con-Test, a Pace Analytical Laboratory, are found in this report.

PROJECT LOCATION:

Indian Trail Mtn. Spring Water

FIELD SAMPLE #

LAB ID:

MATRIX

SAMPLE DESCRIPTION

TEST

SUB LAB

468725 (EP 105)

24I3564-01

Water

EPA 537.1



#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to Con-Test, a Pace Analytical Laboratory, for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Meghan E. Kelley Reporting Specialist

Meghans. Kelley



Project Location: Indian Trail Mtn. Spring Water Sample Description: Work Order: 24I3564

Date Received: 9/25/2024

Field Sample #: 468725 (EP 105)

Sampled: 9/23/2024 12:47

96.6

Sample ID: 24I3564-01
Sample Matrix: Water

D5-NEtFOSAA

Sample Matrix: Water										
			Semivol	atile Organic Compoun	ds by - LC/	MS-MS				
								Date	Date/Time	
Analyte	Results	RL	DL	Units	DF	Flag/Qual	Method	Prepared	Analyzed	Analyst
Perfluorobutanesulfonic acid (PFBS)	ND	1.9	0.79	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorohexanoic acid (PFHxA)	ND	1.9	1.0	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorohexanesulfonic acid (PFHxS)	ND	1.9	0.95	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluoroheptanoic acid (PFHpA)	ND	1.9	0.97	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorooctanoic acid (PFOA)	ND	1.9	1.1	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorooctanesulfonic acid (PFOS)	ND	1.9	0.88	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorononanoic acid (PFNA)	ND	1.9	0.97	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorodecanoic acid (PFDA)	ND	1.9	0.95	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
N-EtFOSAA (NEtFOSAA)	ND	1.9	0.89	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluoroundecanoic acid (PFUnA)	ND	1.9	0.94	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
N-MeFOSAA (NMeFOSAA)	ND	1.9	0.85	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorododecanoic acid (PFDoA)	ND	1.9	0.90	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorotridecanoic acid (PFTrDA)	ND	1.9	0.88	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Perfluorotetradecanoic acid (PFTA)	ND	1.9	0.88	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.9	1.4	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
11Cl-PF3OUdS (F53B Major)	ND	1.9	0.75	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
9Cl-PF3ONS (F53B Minor)	ND	1.9	0.84	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.9	0.99	ng/L	1		EPA 537.1	9/30/24	10/1/24 9:06	AMS
Surrogates		% F	Recovery	Recovery Limits		Flag/Qual				
13C-PFHxA		94.	1	70-130					10/1/24 9:06	
M3HFPO-DA		104		70-130					10/1/24 9:06	
13C-PFDA		94.	4	70-130					10/1/24 9:06	

70-130

10/1/24 9:06



#### **Sample Extraction Data**

Prep Method: EPA 537.1-EPA 537.1

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
24I3564-01 [468725 (EP 105)]	B387561	260	1.00	09/30/24



#### QUALITY CONTROL

#### Semivolatile Organic Compounds by - LC/MS-MS - Quality Control

		Reporting			Spike	Source		%REC		RPD	
Analyte	Result	Limit	DL	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch B387561 - EPA 537.1								
Blank (B387561-BLK1)				]	Prepared & Analyz	zed: 09/30/24		
Perfluorobutanesulfonic acid (PFBS)	ND	1.9	0.79	ng/L				
Perfluorohexanoic acid (PFHxA)	ND	1.9	1.0	ng/L				
Perfluorohexanesulfonic acid (PFHxS)	ND	1.9	0.95	ng/L				
Perfluoroheptanoic acid (PFHpA)	ND	1.9	0.97	ng/L				
Perfluorooctanoic acid (PFOA)	ND	1.9	1.1	ng/L				
Perfluorooctanesulfonic acid (PFOS)	ND	1.9	0.88	ng/L				
Perfluorononanoic acid (PFNA)	ND	1.9	0.97	ng/L				
Perfluorodecanoic acid (PFDA)	ND	1.9	0.96	ng/L				
I-EtFOSAA (NEtFOSAA)	ND	1.9	0.89	ng/L				
erfluoroundecanoic acid (PFUnA)	ND	1.9	0.94	ng/L				
-MeFOSAA (NMeFOSAA)	ND	1.9	0.86	ng/L				
erfluorododecanoic acid (PFDoA)	ND	1.9	0.90	ng/L				
erfluorotridecanoic acid (PFTrDA)	ND	1.9	0.88	ng/L				
erfluorotetradecanoic acid (PFTA)	ND	1.9	0.88	ng/L				
lexafluoropropylene oxide dimer acid	ND	1.9	1.4	ng/L				
HFPO-DA) 1Cl-PF3OUdS (F53B Major)	ND	1.9	0.76	ng/L				
Cl-PF3ONS (F53B Minor)	ND ND	1.9	0.84	ng/L				
,8-Dioxa-3H-perfluorononanoic acid	ND ND	1.9	0.99	ng/L				
ADONA)	ND	1.7						
arrogate: 13C-PFHxA	34.3			ng/L	38.57	89.0	70-130	
arrogate: M3HFPO-DA	35.9			ng/L	38.57	93.1	70-130	
urrogate: 13C-PFDA	35.8			ng/L	38.57	92.8	70-130	
urrogate: D5-NEtFOSAA	145			ng/L	154.3	93.7	70-130	
CS (B387561-BS1)					Prepared & Analyz	zed: 09/30/24		
erfluorobutanesulfonic acid (PFBS)	1.16	1.7	0.71	ng/L	1.536	75.7	50-150	J
erfluorohexanoic acid (PFHxA)	1.33	1.7	0.93	ng/L	1.731	77.0	50-150	J
erfluorohexanesulfonic acid (PFHxS)	1.25	1.7	0.85	ng/L	1.582	79.1	50-150	J
erfluoroheptanoic acid (PFHpA)	1.31	1.7	0.87	ng/L	1.731	75.9	50-150	J
erfluorooctanoic acid (PFOA)	1.26	1.7	1.0	ng/L	1.731	72.7	50-150	J
erfluorooctanesulfonic acid (PFOS)	1.26	1.7	0.79	ng/L	1.607	78.2	50-150	J
erfluorononanoic acid (PFNA)	1.33	1.7	0.87	ng/L	1.731	76.6	50-150	J
erfluorodecanoic acid (PFDA)	1.34	1.7	0.86	ng/L	1.731	77.6	50-150	J
-EtFOSAA (NEtFOSAA)	1.24	1.7	0.80	ng/L	1.731	71.8	50-150	J
erfluoroundecanoic acid (PFUnA)	1.15	1.7	0.85	ng/L	1.731	66.4	50-150	J
-MeFOSAA (NMeFOSAA)	1.14	1.7	0.77	ng/L	1.731	66.0	50-150	J
erfluorododecanoic acid (PFDoA)	1.34	1.7	0.81	ng/L	1.731	77.6	50-150	J
erfluorotridecanoic acid (PFTrDA)	1.20	1.7	0.79	ng/L	1.731	69.4	50-150	J
erfluorotetradecanoic acid (PFTA)	1.31	1.7	0.79	ng/L	1.731	75.6	50-150	J
lexafluoropropylene oxide dimer acid	1.50	1.7	1.3	ng/L	1.731	86.6	50-150	J
HFPO-DA) lCl-PF3OUdS (F53B Major)	1.09	1.7	0.68	ng/L	1.633	66.9	50-150	J
· · · · · · · · · · · · · · · · · · ·		1.7	0.76	ng/L	1.615	72.4	50-150	J
CI-PF3ONS (F53B Minor)	1.17	1.7	0.70	ng/L	1.636	74.1	50-150	1
,8-Dioxa-3H-perfluorononanoic acid ADONA)	1.21	1./	0.07	ng/L				J
urrogate: 13C-PFHxA	30.1			ng/L	34.63	86.9	70-130	
urrogate: M3HFPO-DA	32.0			ng/L	34.63	92.4	70-130	
urrogate: 13C-PFDA	31.4			ng/L	34.63	90.8	70-130	
Surrogate: D5-NEtFOSAA	127			ng/L	138.5	91.3	70-130	



## 39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332 QUALITY CONTROL

#### Semivolatile Organic Compounds by - LC/MS-MS - Quality Control

		Reporting			Spike	Source		%REC		RPD	
Analyte	Result	Limit	DL	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

LCS Dup (B387561-BSD1)				]	Prepared & Analyz	zed: 09/30/24				
Perfluorobutanesulfonic acid (PFBS)	1.27	1.9	0.76	ng/L	1.650	76.7	50-150	8.58	50	J
Perfluorohexanoic acid (PFHxA)	1.42	1.9	1.0	ng/L	1.861	76.5	50-150	6.59	50	J
Perfluorohexanesulfonic acid (PFHxS)	1.37	1.9	0.92	ng/L	1.701	80.8	50-150	9.33	50	J
Perfluoroheptanoic acid (PFHpA)	1.45	1.9	0.94	ng/L	1.861	78.1	50-150	10.0	50	J
Perfluorooctanoic acid (PFOA)	1.46	1.9	1.1	ng/L	1.861	78.2	50-150	14.5	50	J
Perfluorooctanesulfonic acid (PFOS)	1.37	1.9	0.85	ng/L	1.727	79.6	50-150	8.97	50	J
Perfluorononanoic acid (PFNA)	1.44	1.9	0.94	ng/L	1.861	77.2	50-150	8.05	50	J
Perfluorodecanoic acid (PFDA)	1.47	1.9	0.92	ng/L	1.861	78.8	50-150	8.78	50	J
N-EtFOSAA (NEtFOSAA)	1.35	1.9	0.86	ng/L	1.861	72.3	50-150	7.91	50	J
Perfluoroundecanoic acid (PFUnA)	1.54	1.9	0.91	ng/L	1.861	82.5	50-150	28.8	50	J
N-MeFOSAA (NMeFOSAA)	1.41	1.9	0.83	ng/L	1.861	76.0	50-150	21.2	50	J
Perfluorododecanoic acid (PFDoA)	1.51	1.9	0.87	ng/L	1.861	81.3	50-150	11.8	50	J
Perfluorotridecanoic acid (PFTrDA)	1.40	1.9	0.85	ng/L	1.861	75.2	50-150	15.3	50	J
Perfluorotetradecanoic acid (PFTA)	1.38	1.9	0.85	ng/L	1.861	74.1	50-150	5.24	50	J
Hexafluoropropylene oxide dimer acid (HFPO-DA)	1.22	1.9		ng/L	1.861	65.5	50-150	20.7	50	J
11Cl-PF3OUdS (F53B Major)	1.28	1.9	0.73	ng/L	1.755	73.2	50-150	16.1	50	J
9Cl-PF3ONS (F53B Minor)	1.30	1.9	0.81	ng/L	1.736	74.6	50-150	10.2	50	J
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	1.29	1.9	0.96	ng/L	1.758	73.6	50-150	6.42	50	J
Surrogate: 13C-PFHxA	29.4			ng/L	37.21	79.0	70-130			
Surrogate: M3HFPO-DA	31.2			ng/L	37.21	83.9	70-130			
Surrogate: 13C-PFDA	31.2			ng/L	37.21	83.9	70-130			
Surrogate: D5-NEtFOSAA	123			ng/L	148.9	82.6	70-130			



## FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
J	Detected but below the Reporting Limit (lowest calibration standard); therefore, result is an estimated

concentration (CLP J-Flag).



#### CERTIFICATIONS

# Certified Analyses included in this Report

4,8-Dioxa-3H-perfluorononanoic acid (ADONA)

Analyte Certifications

EPA 537.1 in Drinking Water	
Perfluorobutanesulfonic acid (PFBS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorohexanoic acid (PFHxA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorohexanesulfonic acid (PFHxS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluoroheptanoic acid (PFHpA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorooctanoic acid (PFOA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorooctanesulfonic acid (PFOS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorononanoic acid (PFNA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorodecanoic acid (PFDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-EtFOSAA (NEtFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluoroundecanoic acid (PFUnA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-MeFOSAA (NMeFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorododecanoic acid (PFDoA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotridecanoic acid (PFTrDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotetradecanoic acid (PFTA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Hexafluoropropylene oxide dimer acid (HFPO-DA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
11Cl-PF3OUdS (F53B Major)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
9Cl-PF3ONS (F53B Minor)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH

Con-Test, a Pace Environmental Laboratory, operates under the following certifications and accreditations:

Code	Description	Number	Expires
MA	Massachusetts DEP	M-MA100	06/30/2025
CT	Connecticut Department of Public Health	PH-0821	12/31/2024
NY	New York State Department of Health	10899 NELAP	04/1/2025
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2025
NJ	New Jersey DEP	MA007 NELAP	06/30/2025
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2025
ME	State of Maine	MA00100	06/9/2025
VA	Commonwealth of Virginia	460217	12/14/2024
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2025
MI	Dept. of Env, Great Lakes, and Energy	9100	06/30/2025
ОН	Ohio Environmental Protection Agency	87781	04/1/2025

VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH

# National Testing Laboratories, Ltd.



1-800-458-3330

Rev: SRT102120

# Beverage - Finished Product

Order Number:

2248714

Order Date:

8/26/2024

Sample Number:

468725

P.O.:

Product:

50 DDBP

Paid: No

Method: Purchase

Order

TSR: SBW

	For Laboratory Use ONLY
	Lab Accounting Information:
	Payment \$:
Northumberland PA 17857	Check #:
	Lab Comments/Special Instructions:
	Distilled Product
If finished product is submitted in laboratory containers, complete the following information.	Distribut Freezes
Date Opened: Time Opened:: Please Use Military Time, e.g. 3:00pm = 15:00	PFAS (18)
Check Time Zone: EST CST MST PST	
	State Forms:
	PA
PWS ID# (if applicable): 44963/ - 65  Source Type: Spring Well Municipal  Other: WATER  Source Name: WATER  (Source Information is REQUIRED for All Finished Products)  City & State: (If Different than Above)	Lab Sample Information:  Date Received:  Time Received:  SEP 23 2024  Time Opened:  12: 47  Opened By:  Montgonery  N Sample receipt criteria checked & acceptable
Product Collected By: Jac Mules	Deviations from acceptable sample receipt criteria noted
Product Collected By: (Signature)  (Please Print)  e.g. XYZ Spring Water or XYZ Distilled Water	on PSA form.
Container Size: Cos/lon	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE
Production Code/Lot Number: 9/11/26 4496031-105	THE FOLLOWING: nn. PWS ID#: 4496031
Samulated Bus Lana M: 150	cation: 105
additional Comments:	

DC#\_Title: ENV-FRM-ELON-0001 v08\_Sample Receiving Checklist

Login Samole Receipt Checklist - Rejection Oriteria Listing

Effective Date: 06/11/2024

# Log In Back-Sheet

- using Acceptance Policy) Any Faise statement will be prought to the attantion of the Client - True or Faise False True Project Received on Ice MCP/RCP Required Received in Cooler Deliverable Package Requirement\_ Custody Seal: DATE Location\_\_\_ COC Relinquished PWSID# (When Applicable) Arrival Method: COC/Samples Labels Agree Courier Fed Ex Waik In Other All Samples in Good Condition Samples Received within Holding Time Back-Sheet By / Date / Time <u>M</u> is there enough Volume Temperature Method\_\_\_\_\_ Proper Media, Container Used 'WV samples. (es (see note") / 10) follow normal procedure: Solitting Samples Required Temp < 5° C Actual Temperature\_\_\_ GSIM/SIM Rush Samples: Yes / No Notify Trip Blanks Short Hold. (es / uab to Filters Notes regarding Samples/COC outside of SOP: COC Legible COC included (Check all included) Collection Date/Time Project L All Samples Proper pH: Additional Container Notes "Mote: West Virginia requires all samples to have their temperature taken, wote any outliers.

Qualtrax ID: 120836

Pace

DC#\_Title: ENV-FRM-ELON-0001 v08\_Sample Receiving Checklist

Effective Date: 06/11/2024

20	19	18	17	16	15	14	13	12	11	10	9	00	7	9	5	4	w	2	-	Sample		
																				16oz Amb/Clear	<u>C</u>	
ì				0.00			1					]				•				8oz Amb/Clear	cle A	Soil
					Ī															16oz Amb/Clear 8oz Amb/Clear 4oz Amb/Clear 2oz Amb/Clear	mb/C	Soils Jars
																				2oz Amb/Clear	lear)	vi
				1																Unpreserved	1	
			T			T	T													HCL	1 Liter	
					T															Sulfuric	딱	
-						1	1	1	T	1			1							Sulfuric		Ambers
					1				1											Phosphoric	250 mL	ers
		İ		1	T		T	T	T	T		T	T			İ		T		HCI	12	
						T												- Commence of the Commence of		Unpreserved	100mL	
													T							Unpreserved	1 Liter	
																				Sulfuric	iter	
			T																	Unpreserved	500mL	
																				Sulfuric	P	
																				Unpreserved		0
								ĺ										1-	7	Trizma		Plastics
																				Sulfuric	]~	S
																				Nitric	250ml	
	1			1								***				1				NaOH	1	
																				Ammonium Acetate		
																				NaOH/Zinc		
																				Unpreserved		
									1				-							HCI		5
					T													T		MeOH		VOA Vials
	T																			D.I. Water		<u>8</u>
						1					1					1			1	BiSulfate		
				1	1															Col/Bact		
Г				T																		9
																						her
	-			1						-	-		1									Other / Fill in

Qualtrax ID: 120836